[21st October 1927

Mr. Mothey Narayana Rao and the President of the Conference and agreed to the request of somebody else? Will the hon. Member be pleased to throw some light on this information?"

The hon. Mr. A. Y. G. CAMPBELL:—"This information is just now given to me by the hon. Member opposite."

Mr. T. ADINARAYANA CHETTIYAR:—"The information is already in the question in clauses (d) and (e)."

The hon. Mr. A. Y. G. CAMPBELL:—"I have already fully answered clauses (d) and (e)."

The hon. the PRESIDENT:—"The hon. Member will have to satisfy himself with the answer given."

Mr. T. ADINARAYANA CHETTIYAR:—"The answer given is that somebody else asked the Sub-Magistrate to intervene and he asked him what had to be done in the matter. My complaint is that the Sub-Magistrate did not ask the proper person as to what had to be done in the matter."

The hon. the PRESIDENT:—"The hon. Member on behalf of the Government says that the answer has already been given. So, the hon. Member, Mr. Adinarayana Chettiyar, will have to be satisfied whether the answer is good, bad or indifferent."

Cases conducted before the Subdivisional Magistrate of Nandyal.

*776 Q.—Mr. G. HARISARVOTTAMA RAO: With reference to the reply to the supplementary question to question No. 324 regarding cases conducted before the Subdivisional Magistrate of Nandyal, answered on 27th August 1927, that he will call for information, will the hon. the Law Member be pleased to call for it and place it on the table of the House?

A.—The information is placed on the table.[a]

Irrigation

Repairs to the supply channel to the Markapur tank.

* 777 Q.—Mr. G. HARISARVOTTAMA RAO: With reference to the reply to my question No. 336 answered on 27th August 1927 regarding repairs to the supply channel to the Markapur tank, will the hon. the Law Member be now pleased to call for the information and place the same on the table of the House?

A.—The Chief Engineer's report dated 15th October 1927 is laid on the table.[b]

Q 778.—Please see page 351 infra.

Preparation of estimate for the reconstruction of Thorrigedda sluice in East Godavari.

*779 Q.—Mr. K. V. R. SWAMI: Will the hon. the Law Member be pleased to state—

(a) whether any estimate is prepared for the reconstruction of Thorrigedda sluice in East Godavari; and

(b) if not, whether the Government propose to prepare one at an early date?

---

[a] Printed as Appendix V on page 397 infra.

[b] Printed as Appendix V-A on pages 397–398 infra.